The Journal of Cell Biology

Volume 127, 1994



Edited in cooperation with
The American Society for Cell Biology
Published semimonthly by
The Rockefeller University Press
Copyediting and Production
Suzanne M. Runyan,
Effie Janulis,
Linda Thrasybule, and
Davide R. Dickson

Editor-in-Chief

Norton B. Gilula

Associate Editors

Richard G. W. Anderson
Don W. Cleveland
Werner Franke
Elaine Fuchs
Randy Schekman
Kenneth M. Yamada

Editorial Board

Vann Bennett
Paul Bornstein
Marianne Bronner-Fraser
Eric J. Brown
Graham Carpenter
Nam-Hai Chua
John Cooper
Bruce Cunningham
Caroline Damsky
Scott Emr
Harold P. Erickson
Larry Gerace
Mary Jane Gething
Hans Geuze
Larry Goldstein
Alan Hall
Alan F. Horwitz
Hynda Kleinman
Susan Lindquist
Joan Massague
Frederick Maxfield
Jacopo Meldolesi
Ira Mellman
Ron Milligan
Timothy J. Mitchison
Andrew Murray
W. James Nelson
Walter Neupert
Eric N. Olsen
Suzanne Pfeffer
Tom A. Rapoport
Louis F. Reichardt
Daniel B. Rifkin
Mark Rose
Richard Rotundo
Richard Scheller
Sandra Schmid
Victor Small
Paul W. Sternberg
Murray Stewart
Ron Vale
Klaus Von der Mark
Frank S. Walsh
Helen Lu Yin

Copyright © 1994 by The Rockefeller University Press

Contents:

Volume 127, Number 1, October 1994

Mini-review

1 **New insights into the interaction of cytoplasmic dynein with the actin-related protein, Arp1.**
T. A. Schroer

Regular Articles

5 **Initiation of DNA replication in nuclei from quiescent cells requires permeabilization of the nuclear membrane.**
G. H. Leno and R. Munshi

15 **Cell nucleus and DNA fragmentation are not required for apoptosis.**
K. Schulze-Osthoff, H. Walczak, W. Dröge, and P. H. Krammer

21 **Retrieval of HDEL proteins is required for growth of yeast cells.**
F. M. Townsley, G. Frigerio, and H. R. B. Pelham

29 **HVEM tomography of the *trans*-Golgi network: Structural insights and identification of a lace-like vesicle coat.**
M. S. Ladinsky, J. R. Kremer, P. S. Furcinitti, J. R. McIntosh, and K. E. Howell

39 **Interference with the endosomal acidification by a monoclonal antibody directed toward the 116 (100)-kD subunit of the vacuolar type proton pump.**
S. B. Sato and S. Toyama

55 **The α and β subunits of the Na,K-ATPase can assemble at the plasma membrane into functional enzyme.**
A. W. DeTomaso, G. Blanco, and R. W. Mercer

71 **The *Caenorhabditis elegans* UNC-87 protein is essential for maintenance, but not assembly, of bodywall muscle.**
S. Goetinck and R. H. Waterston

79 **The *Caenorhabditis elegans* muscle-affecting gene *unc-87* encodes a novel thin filament-associated protein.**
S. Goetinck and R. H. Waterston

95 **Somite subdomains, muscle cell origins, and the four muscle regulatory factor proteins.**
T. H. Smith, A. M. Kachinsky, and J. B. Miller

107 **Purification of a cortical complex containing two unconventional actins from *Acanthamoeba* by affinity chromatography on profilin–agarose.**
L. M. Machesky, S. J. Atkinson, C. Ampe, J. Vandekerckhove, and T. D. Pollard

117 **Electric field-directed fibroblast locomotion involves cell surface molecular reorganization and is calcium independent.**
M. J. Brown and L. M. Loew

129 ***ACT3*: A putative centractin homologue in *S. cerevisiae* is required for proper orientation of the mitotic spindle.**
S. W. Clark and D. I. Meyer

139 **Cytoplasmic dynein and actin-related protein Arp1 are required for normal nuclear distribution in filamentous fungi.**
M. Plamann, P. F. Minke, J. H. Tinsley, and K. S. Bruno

151 **Identification of the plakoglobin-binding domain in desmoglein and its role in plaque assembly and intermediate filament anchorage.**
S. M. Troyanovsky, R. B. Troyanovsky, L. G. Eshkind, V. A. Krutovskikh, R. E. Leube, and W. W. Franke

161 **Identification of the major physiologic phosphorylation site of human keratin 18: Potential kinases and a role in filament reorganization.**
N.-O. Ku and M. B. Omary

173 **Differential dynamics of neurofilament-H protein and neurofilament-L protein in neurons.**
S. Takeda, S. Okabe, T. Funakoshi, and N. Hirokawa

187 **A novel microtubule-based motor protein (KIF4) for organelle transports, whose expression is regulated developmentally.**
Y. Sekine, Y. Okada, Y. Noda, S. Kondo, H. Aizawa, R. Takemura, and N. Hirokawa

203 **Regulation of bFGF gene expression and subcellular distribution of bFGF protein in adrenal medullary cells.**
M. K. Stachowiak, J. Moffett, A. Joy, E. Puchacz, R. Florkiewicz, and E. K. Stachowiak

225 **Regulation of scatter factor production via a soluble inducing factor.**
E. M. Rosen, A. Joseph, L. Jin, S. Rockwell, J. A. Elias, J. Knesel, J. Wines, J. McClellan, M. J. Kluger, I. D. Goldberg, and R. Zitnik

235 **The roles of catenins in the cadherin-mediated cell adhesion: Functional analysis of E-cadherin–α catenin fusion molecules.**
A. Nagafuchi, S. Ishihara, and S. Tsukita

247 **Induction of polarized cell–cell association and retardation of growth by activation of the E-cadherin–catenin adhesion system in a dispersed carcinoma line.**
M. Watabe, A. Nagafuchi, S. Tsukita, and M. Takeichi

257 **Integrin αvβ5 selectively promotes adenovirus-mediated cell membrane permeabilization.**
T. J. Wickham, E. J. Filardo, D. A. Cheresh, and G. R. Nemerow

265 **ADDITIONS AND CORRECTIONS**

Volume 127, Number 2, October 1994

273 **Dynamics of chromosome organization and pairing during meiotic prophase in fission yeast.**
H. Scherthan, J. Bähler, and J. Kohli

287 **Visualization of G1 chromosomes: A folded, twisted, supercoiled chromonema model of interphase chromatid structure.**
A. S. Belmont and K. Bruce

303 **ScII: An abundant chromosome scaffold protein is a member of a family of putative ATPases with an unusual predicted tertiary structure.**
N. Saitoh, I. G. Goldberg, E. R. Wood, and W. C. Earnshaw

319 ***nupl* mutants exhibit pleiotropic defects in nuclear pore complex function.**
A. M. Bogerd, J. A. Hoffman, D. C. Amberg, G. R. Fink, and L. I. Davis

333 **The GPI anchor of cell-surface proteins is synthesized on the cytoplasmic face of the endoplasmic reticulum.**
J. Vidugiriene and A. K. Menon

343 **Membrane insertion of gap junction connexins: Polytopic channel forming membrane proteins.**
M. M. Falk, N. M. Kumar, and N. B. Gilula

357 **Localization of Sed5, a putative vesicle targeting molecule, to the *cis*-Golgi network involves both its transmembrane and cytoplasmic domains.**
D. K. Banfield, M. J. Lewis, C. Rabouille, G. Warren, and H. R. B. Pelham

373 **Endocytosis is required for the growth of vacuolar H^+–ATPase-defective yeast: Identification of six new *END* genes.**
A. L. Munn and H. Riezman

387 ***Dictyostelium discoideum* mutants with temperature-sensitive defects in endocytosis.**
R. A. Bacon, C. J. Cohen, D. A. Lewin, and I. Mellman

401 **Fluorescent choleretic and cholestatic bile salts take different paths across the hepatocyte: Transcytosis of glycolithocholate leads to an extensive redistribution of annexin II.**
J. C. Wilton, G. M. Matthews, R. D. Burgoyne, C. O. Mills, J. K. Chipman, and R. Coleman

411 **Cryo-electron microscopy and three-dimensional reconstruction of the calcium release channel/ryanodine receptor from skeletal muscle.**
M. Radermacher, V. Rao, R. Grassucci, J. Frank, A. P. Timerman, S. Fleischer, and T. Wagenknecht

425 **Porcine myosin-VI: Characterization of a new mammalian unconventional myosin.**
T. Hasson and M. S. Mooseker

441 **Sequences responsible for intracellular localization of β-actin messenger RNA also affect cell phenotype.**
E. H. Kislauskis, X. Zhu, and R. H. Singer

453 **Differential localization and sequence analysis of capping protein β-subunit isoforms of vertebrates.**
D. A. Schafer, Y. O. Korshunova, T. A. Schroer, and J. A. Cooper

467 **Cell cycle analysis of the activity, subcellular localization, and subunit composition of human CAK (CDK-activating kinase).**
J.-P. Tassan, S. J. Schultz, J. Bartek, and E. A. Nigg

479 **Biological function of PDGF-induced PI-3 kinase activity: Its role in αPDGF receptor–mediated mitogenic signaling.**
J.-C. Yu, J. S. Gutkind, D. Mahadevan, W. Li, K. A. Meyers, J. H. Pierce, and M. A. Heidaran

489 **Mediation of chemoattractant-induced changes in $[Ca^{2+}]_i$ and cell shape, polarity, and locomotion by $InsP_3$, DAG, and protein kinase C in newt eosinophils.**
S. H. Gilbert, K. Perry, and F. S. Fay

505 **Increased expression of keratin 16 causes anomalies in cytoarchitecture and keratinization in transgenic mouse skin.**
K. Takahashi, J. Folmer, and P. A. Coulombe

521 **Differential perturbations in the morphogenesis of anterior structures induced by overexpression of truncated XB- and N-cadherins in *Xenopus* embryos.**
S. Dufour, J.-P. Saint-Jeannet, F. Broders, D. Wedlich, and J. P. Thiery

537 **Inhibition of anchorage-dependent cell spreading triggers apoptosis in cultured human endothelial cells.**
F. Re, A. Zanetti, M. Sironi, N. Polentarutti, L. Lanfrancone, E. Dejana, and F. Colotta

547 **The αvβ6 integrin promotes proliferation of colon carcinoma cells through a unique region of the β6 cytoplasmic domain.**
M. Agrez, A. Chen, R. I. Cone, R. Pytela, and D. Sheppard

557 **Expression of β1B integrin isoform in CHO cells results in a dominant negative effect on cell adhesion and motility.**
F. Balzac, S. F. Retta, A. Albini, A. Melchiorri, V. E. Koteliansky, M. Geuna, L. Silengo, and G. Tarone

567 **Characterization of the yeast (1→6)-β-glucan biosynthetic components, Kre6p and Skn1p, and genetic interactions between the *PKC1* pathway and extracellular matrix assembly.**
T. Roemer, G. Paravicini, M. A. Payton, and H. Bussey

Volume 127, Number 3, November 1994

581 **Human CENP-A contains a histone H3 related histone fold domain that is required for targeting to the centromere.**
K. F. Sullivan, M. Hechenberger, and K. Masri

593 **Association of nuclear matrix antigens with exon-containing splicing complexes.**
B. J. Blencowe, J. A. Nickerson, R. Issner, S. Penman, and P. A. Sharp

609 **The amino-terminal region of the retinoblastoma gene product binds a novel nuclear matrix protein that co-localizes to centers for RNA processing.**
T. Durfee, M. A. Mancini, D. Jones, S. J. Elledge, and W.-H. Lee

623 **A novel FK506- and rapamycin-binding protein (*FPR3* gene product) in the yeast *Saccharomyces cerevisiae* is a proline rotamase localized to the nucleolus.**
B. M. Benton, J.-H. Zang, and J. Thorner

641 **Transport into and out of the Golgi complex studied by transfecting cells with cDNAs encoding horseradish peroxidase.**
C. N. Connolly, C. E. Futter, A. Gibson, C. R. Hopkins, and D. F. Cutler

653 **Signal-mediated retrieval of a membrane protein from the Golgi to the ER in yeast.**
E. C. Gaynor, S. te Heesen, T. R. Graham, M. Aebi, and S. D. Emr

667 **Clathrin-dependent localization of α1,3 mannosyltransferase to the Golgi complex of *Saccharomyces cerevisiae*.**
T. R. Graham, M. Seeger, G. S. Payne, V. L. MacKay, and S. D. Emr

679 ***LDLC* encodes a brefeldin A-sensitive, peripheral Golgi protein required for normal Golgi function.**
S. D. Podos, P. Reddy, J. Ashkenas, and M. Krieger

693 **Transport via the regulated secretory pathway in semi-intact PC12 cells: Role of intra-cisternal calcium and pH in the transport and sorting of secretogranin II.**
L. Carnell and H.-P. H. Moore

707 **Golgi spectrin: Identification of an erythroid β-spectrin homolog associated with the Golgi complex.**
K. A. Beck, J. A. Buchanan, V. Malhotra, and W. J. Nelson

725 **Clathrin polymerization is not required for bulk-phase endocytosis in rat fetal fibroblasts.**
P. Cupers, A. Veithen, A. Kiss, P. Baudhuin, and P. J. Courtoy

737 **The *Hansenula polymorpha PER1* gene is essential for peroxisome biogenesis and encodes a peroxisomal matrix protein with both carboxy- and amino-terminal targeting signals.**
H. R. Waterham, V. I. Titorenko, P. Haima, J. M. Cregg, W. Harder, and M. Veenhuis

751 ***Saccharomyces cerevisiae* contains four fatty acid activation (FAA) genes: An assessment of their role in regulating protein N-myristoylation and cellular lipid metabolism.**
D. R. Johnson, L. J. Knoll, D. E. Levin, and J. I. Gordon

763 **Structural changes in muscle crossbridges accompanying force generation.**
K. Hirose, C. Franzini-Armstrong, Y. E. Goldman, and J. M. Murray

779 **The free energy for hydrolysis of a microtubule-bound nucleotide triphosphate is near zero: All of the free energy for hydrolysis is stored in the microtubule lattice.**
M. Caplow, R. L. Ruhlen, and J. Shanks

789 **Microtubule dependency of $p34^{cdc2}$ inactivation and mitotic exit in mammalian cells.**
P. R. Andreassen and R. L. Margolis

803 **The transmembrane signaling pathway involved in directed movements of *Chlamydomonas* flagellar membrane glycoproteins involves the dephosphorylation of a 60-kD phosphoprotein that binds to the major flagellar membrane glycoprotein.**
R. A. Bloodgood and N. L. Salomonsky

813 **Reexpression of glial fibrillary acidic protein rescues the ability of astrocytoma cells to form processes in response to neurons.**
W.-J. Chen and R. K. H. Liem

825 **NCAM-dependent neurite outgrowth is inhibited in neurons from *Fyn*-minus mice.**
H. E. Beggs, P. Soriano, and P. F. Maness

835 **Degeneration of neural cells in the central nervous system of mice deficient in the gene for the adhesion molecule on Glia, the $\beta 2$ subunit of murine Na,K-ATPase.**
J. P. Magyar, U. Bartsch, Z.-Q. Wang, N. Howells, A. Aguzzi, E. F. Wagner, and M. Schachner

847 **Epidermal growth factor receptor-mediated cell motility: Phospholipase C activity is required, but mitogen-activated protein kinase activity is not sufficient for induced cell movement.**
P. Chen, H. Xie, M. C. Sekar, K. Gupta, and A. Wells

859 **Receptor tyrosine kinase signaling required for integrin $\alpha v \beta 5$-directed cell motility but not adhesion on vitronectin.**
R. L. Klemke, M. Yebra, E. M. Bayna, and D. A. Cheresh

867 **ICAM-3 regulates lymphocyte morphology and integrin-mediated T cell interaction with endothelial cell and extracellular matrix ligands.**
M. R. Campanero, P. Sánchez-Mateos, M. A. del Pozo, and F. Sánchez-Madrid

879 **Collagen IV $\alpha 3$, $\alpha 4$, and $\alpha 5$ chains in rodent basal laminae: Sequence, distribution, association with laminins, and developmental switches.**
J. H. Miner and J. R. Sanes

Volume 127, Number 4, November 1994

893 **Mitochondrial heat shock protein 70, a molecular chaperone for proteins encoded by mitochondrial DNA.**
J. M. Herrmann, R. A. Stuart, E. A. Craig, and W. Neupert

903 **HIV-1 particles in spermatozoa of patients with AIDS and their transfer into the oocyte.**
B. Baccetti, A. Benedetto, A. G. Burrini, G. Collodel, E. Costantino Ceccarini, N. Crisà, A. Di Caro, M. Estenoz, A. R. Garbuglia, A. Massacesi, P. Piomboni, T. Renieri, and D. Solazzo

915 **Induction of mutant dynamin specifically blocks endocytic coated vesicle formation.**
H. Damke, T. Baba, D. E. Warnock, and S. L. Schmid

935 **Ca^{2+} release from subplasmaleminal stores as a primary event during exocytosis in *Paramecium* cells.**
C. Erxleben and H. Plattner

947 **The *Toxoplasma gondii* rhoptry protein ROP 2 is inserted into the parasitophorous vacuole membrane, surrounding the intracellular parasite, and is exposed to the host cell cytoplasm.**
C. J. M. Beckers, J.-F. Dubremetz, O. Mercereau-Puijalon, and K. A. Joiner

963 **Single particle tracking of surface receptor movement during cell division.**
Y. Wang, J. D. Silverman, and L.-g. Cao

973 **Polyribosome targeting to microtubules: Enrichment of specific mRNAs in a reconstituted microtubule preparation from sea urchin embryos.**
D. Hamill, J. Davis, J. Drawbridge, and K. A. Suprenant

985 **XMAP from *Xenopus* eggs promotes rapid plus end assembly of microtubules and rapid microtubule polymer turnover.**
R. J. Vasquez, D. L. Gard, and L. Cassimeris

995 **Factors required for the binding of reassembled yeast kinetochores to microtubules in vitro.**
P. K. Sorger, F. F. Severin, and A. A. Hyman

1009 **Cytoplasmic dynein undergoes intracellular redistribution concomitant with phosphorylation of the heavy chain in response to serum starvation and okadaic acid.**
S. X. H. Lin, K. L. Ferro, and C. A. Collins

1021 **Kinesin-mediated organelle translocation revealed by specific cellular manipulations.**
F. Feiguin, A. Ferreira, K. S. Kosik, and A. Caceres

1041 **Characterization of the KLP68D kinesin-like protein in *Drosophila*: Possible roles in axonal transport.**
P. A. Pesavento, R. J. Stewart, and L. S. B. Goldstein

1049 **Making a connection: Direct binding between keratin intermediate filaments and desmosomal proteins.**
P. D. Kouklis, E. Hutton, and E. Fuchs

1061 **Neural regulation of acetylcholinesterase mRNAs at mammalian neuromuscular synapses.**
R. N. Michel, C. Q. Vu, W. Tetzlaff, and B. J. Jasmin

1071 **Vinculin-deficient PC12 cell lines extend unstable lamellipodia and filopodia and have a reduced rate of neurite outgrowth.**
B. Varnum-Finney and L. F. Reichardt

1085 **E1a induces the expression of epithelial characteristics.**
S. M. Frisch

1097 **Members of the fatty acid binding protein family are differentiation factors for the mammary gland.**
Y. Yang, E. Spitzer, N. Kenney, W. Zschiesche, M. Li, A. Kromminga, T. Müller, F. Spener, A. Lezius, J. H. Veerkamp, G. H. Smith, D. S. Salomon, and R. Grosse

1111 **Tissue specific expression of the retinoic acid receptor-β2: Regulation by short open reading frames in the 5′-noncoding region.**
A. Zimmer, A. M. Zimmer, and K. Reynolds

1121 **Inhibition of endothelial cell proliferation by platelet factor-4 involves a unique action on S phase progression.**
S. K. Gupta and J. P. Singh

1129 **Integrin $\alpha_v\beta_3$ differentially regulates adhesive and phagocytic functions of the fibronectin receptor $\alpha_5\beta_1$.**
S. D. Blystone, I. L. Graham, F. P. Lindberg, and E. J. Brown

1139 **Complement receptor 3 (CR3, Mac-1, integrin $\alpha_M\beta_2$, CD11b/CD18) is required for tyrosine phosphorylation of paxillin in adherent and nonadherent neutrophils.**
I. L. Graham, D. C. Anderson, V. M. Holers, and E. J. Brown

1149 **Osteocalcin induces chemotaxis, secretion of matrix proteins, and calcium-mediated intracellular signaling in human osteoclast-like cells.**
C. Chenu, S. Colucci, M. Grano, P. Zigrino, R. Barattolo, G. Zambonin, N. Baldini, P. Vergnaud, P. D. Delmas, and A. Z. Zallone

---

Volume 127, Number 5, December 1994

1159 **Isolation of chromosome-associated proteins from *Drosophila melanogaster* that bind a human centromeric DNA sequence.**
M. C. Avides and C. E. Sunkel

1173 **Characterization of nuclear polyadenylated RNA-binding proteins in *Saccharomyces cerevisiae*.**
S. M. Wilson, K. V. Datar, M. R. Paddy, J. R. Swedlow, and M. S. Swanson

1185 **Caveolin moves from caveolae to the Golgi apparatus in response to cholesterol oxidation.**
E. J. Smart, Y.-S. Ying, P. A. Conrad, and R. G. W. Anderson

1199 **Regulated internalization of caveolae.**
R. G. Parton, B. Joggerst, and K. Simons

1217 **Filipin-sensitive caveolae-mediated transport in endothelium: Reduced transcytosis, scavenger endocytosis, and capillary permeability of select macromolecules.**
J. E. Schnitzer, P. Oh, E. Pinney, and J. Allard

1233 **Induction of caveolin during adipogenesis and association of GLUT4 with caveolin-rich vesicles.**
P. E. Scherer, M. P. Lisanti, G. Baldini, M. Sargiacomo, C. C. Mastick, and H. F. Lodish

1245 **An oligomeric protein is imported into peroxisomes in vivo.**
J. A. McNew and J. M. Goodman

1259 **Role of the *PAS1* gene of *Pichia pastoris* in peroxisome biogenesis.**
J. A. Heyman, E. Monosov, and S. Subramani

1275 **Characterization of the sarcoplasmic reticulum proteins in the thermogenic muscles of fish.**
B. A. Block, J. O'Brien, and G. Meissner

1289 **Effect on microtubule dynamics of XMAP230, a microtubule-associated protein present in *Xenopus laevis* eggs and dividing cells.**
S. S. L. Andersen, B. Buendia, J. E. Domínguez, A. Sawyer, and E. Karsenti

1301 **Anaphase onset in vertebrate somatic cells is controlled by a checkpoint that monitors sister kinetochore attachment to the spindle.**
C. L. Rieder, A. Schultz, R. Cole, and G. Sluder

1311 **Components of a "dynein regulatory complex" are located at the junction between the radial spokes and the dynein arms in *Chlamydomonas* flagella.**
L. C. Gardner, E. O'Toole, C. A. Perrone, T. Giddings, and M. E. Porter

1327 **Determinants for intracellular sorting of cytoplasmic and nuclear intermediate filaments.**
M. J. Monteiro, C. Hicks, L. Gu, and S. Janicki

1345 **The *Drosophila lethal(2)giant larvae* tumor suppressor protein is a component of the cytoskeleton.**
D. Strand, I. Raska, and B. Mechler

1361 **The *Drosophila lethal(2)giant larvae* tumor suppressor protein forms homo-oligomers and is associated with nonmuscle myosin II heavy chain.**
D. Strand, R. Jakobs, G. Merdes, B. Neumann, A. Kalmes, H. W. Heid, I. Husmann, and B. M. Mechler

1375 **β-Catenin mediates the interaction of the cadherin–catenin complex with epidermal growth factor receptor.**
H. Hoschuetzky, H. Aberle, and R. Kemler

1381 **Control of cellular morphogenesis by the Ipl2/Bem2 GTPase-activating protein: Possible role of protein phosphorylation.**
Y.-J. Kim, L. Francisco, G.-C. Chen, E. Marcotte, and C. S. M. Chan

1395 **Interactions between the bud emergence proteins Bem1p and Bem2p and Rho-type GTPases in yeast.**
J. Peterson, Y. Zheng, L. Bender, A. Myers, R. Cerione, and A. Bender

1407 **The initiation of neurite outgrowth by sympathetic neurons grown in vitro does not depend on assembly of microtubules.**
C. L. Smith

1419 **Preferential localization of a vesicular monoamine transporter to dense core vesicles in PC12 cells.**
Y. Liu, E. S. Schweitzer, M. J. Nirenberg, V. M. Pickel, C. J. Evans, and R. H. Edwards

1435 **Synaptic activity and connective tissue remodeling in denervated frog muscle.**
E. A. Connor, K. Qin, H. Yankelev, and D. DeStefano

1447 **Modulation of cell surface fibronectin assembly sites by lysophosphatidic acid.**
Q. Zhang, W. J. Checovich, D. M. Peters, R. M. Albrecht, and D. F. Mosher

1461 **Ca^{2+} influx and neurite growth in response to purified N-cadherin and laminin.**
J. L. Bixby, G. B. Grunwald, and R. J. Bookman

1477 **β2 integrin-dependent tyrosine phosphorylation of paxillin in human neutrophils treated with tumor necrosis factor.**
M. Fuortes, W.-w. Jin, and C. Nathan

1485 **Distinct cell surface ligands mediate T lymphocyte attachment and rolling on P and E selectin under physiological flow.**
R. Alon, H. Rossiter, X. Wang, T. A. Springer, and T. S. Kupper

Volume 127, Number 6, Part 1, December 1994

Mini-reviews

1497 **An end in sight: Tropomodulin.**
L. M. Coluccio

1501 **The Alzheimer's disease sphinx: A riddle with plaques and tangles.**
K. S. Kosik

Regular Articles

1505 **NAP57, a mammalian nucleolar protein with a putative homolog in yeast and bacteria.**
U. T. Meier and G. Blobel

1515 **Tpr, a large coiled coil protein whose amino terminus is involved in activation of oncogenic kinases, is localized to the cytoplasmic surface of the nuclear pore complex.**
D. A. Byrd, D. J. Sweet, N. Panté, K. N. Konstantinov, T. Guan, A. C. S. Saphire, P. J. Mitchell, C. S. Cooper, U. Aebi, and L. Gerace

1527 **Facilitated nuclear transport of calmodulin in tissue culture cells.**
M. Pruschy, Y. Ju, L. Spitz, E. Carafoli, and D. S. Goldfarb

1537 **Translation of the *psbA* mRNA of *Chlamydomonas reinhardtii* requires a structured RNA element contained within the 5′ untranslated region.**
S. P. Mayfield, A. Cohen, A. Danon, and C. B. Yohn

1547 **Mitochondrial protein import: Biochemical and genetic evidence for interaction of matrix hsp70 and the inner membrane protein MIM44.**
J. Rassow, A. C. Maarse, E. Krainer, M. Kübrich, H. Müller, M. Meijer, E. A. Craig, and N. Pfanner

1557 **Localization of the Lys, Asp, Glu, Leu tetrapeptide receptor to the Golgi complex and the intermediate compartment in mammalian cells.**
G. Griffiths, M. Ericsson, J. Krijnse-Locker, T. Nilsson, B. Goud, H.-D. Söling, B. L. Tang, S. H. Wong, and W. Hong

1575 **The small GTP-binding protein rab6 functions in intra-Golgi transport.**
O. Martinez, A. Schmidt, J. Salaméro, B. Hoflack, M. Roa, and B. Goud

1589 **Sorting of synaptophysin into special vesicles in nonneuroendocrine epithelial cells.**
R. E. Leube, U. Leimer, C. Grund, W. W. Franke, N. Harth, and B. Wiedenmann

1603 **The polymeric immunoglobulin receptor accumulates in specialized endosomes but not synaptic vesicles within the neurites of transfected neuroendocrine PC12 cells.**
F. Bonzelius, G. A. Herman, M. H. Cardone, K. E. Mostov, and R. B. Kelly

1617 **Direct association of occludin with ZO-1 and its possible involvement in the localization of occludin at tight junctions.**
M. Furuse, M. Itoh, T. Hirase, A. Nagafuchi, S. Yonemura, S. Tsukita, and S. Tsukita

1627 **Tropomodulin caps the pointed ends of actin filaments.**
A. Weber, C. R. Pennise, G. G. Babcock, and V. M. Fowler

1637 **How an actin network might cause fountain streaming and nuclear migration in the syncytial *Drosophila* embryo.**
G. von Dassow and G. Schubiger

1655 **Bypassing anaphase by fission yeast *cut9* mutation: Requirement of *cut9*$^{+}$ to initiate anaphase.**
I. Samejima and M. Yanagida

1671 **Differential phosphorylation in vivo of cytoplasmic dynein associated with anterogradely moving organelles.**
J. F. Dillman III and K. K. Pfister

1683 **Regulation of *Chlamydomonas* flagellar dynein by an axonemal protein kinase.**
D. R. Howard, G. Habermacher, D. B. Glass, E. F. Smith, and W. S. Sale

1693 **Long-range signaling in growing neurons after local elevation of cyclic AMP-dependent activity.**
J. Q. Zheng, Z. Zheng, and M-m. Poo

1703 **Interactions of the chondroitin sulfate proteoglycan phosphacan, the extracellular domain of a receptor-type protein tyrosine phosphatase, with neurons, glia, and neural cell adhesion molecules.**
P. Milev, D. R. Friedlander, T. Sakurai, L. Karthikeyan, M. Flad, R. K. Margolis, M. Grumet, and R. U. Margolis

1717 **Altered gene expression in neurons during programmed cell death: Identification of c-*jun* as necessary for neuronal apoptosis.**
S. Estus, W. J. Zaks, R. S. Freeman, M. Gruda, R. Bravo, and E. M. Johnson, Jr.

1729 **Recessive mutations in a common pathway block thymocyte apoptosis induced by multiple signals.**
F. A. Flomerfelt and R. L. Miesfeld

1743 **Hepatocyte growth factor induces proliferation and differentiation of multipotent and erythroid hemopoietic progenitors.**
F. Galimi, G. P. Bagnara, L. Bonsi, E. Cottone, A. Follenzi, A. Simeone, and P. M. Comoglio

1755 **Bone morphogenetic protein-2 converts the differentiation pathway of C2C12 myoblasts into the osteoblast lineage.**
T. Katagiri, A. Yamaguchi, M. Komaki, E. Abe, N. Takahashi, T. Ikeda, V. Rosen, J. M. Wozney, A. Fujisawa-Sehara, and T. Suda

1767 **A potential role for tetranectin in mineralization during osteogenesis.**
U. M. Wewer, K. Ibaraki, P. Schjørring, M. E. Durkin, M. F. Young, and R. Albrechtsen

Volume 127, Number 6, Part 2, December 1994

Commentary

1777 **Actin-related protein nomenclature and classification.**
T. A. Schroer, E. Fyrberg, J. A. Cooper, R. H. Waterston, D. Helfman, T. D. Pollard, and D. I. Meyer

Mini-reviews

1779 **Regulation of *Dictyostelium* myosin II by phosphorylation: What is essential and what is important?**
J. A. Hammer III

1783 **Scatter factor and the *c-Met* receptor: A paradigm for mesenchymal/epithelial interaction.**
E. M. Rosen, S. K. Nigam, and I. D. Goldberg

Regular Articles

1789 **Structurally divergent histone H1 variants in chromosomes containing highly condensed interphase chromatin.**
E. Schulze, S. Nagel, K. Gavenis, and U. Grossbach

1799 **Yeast *NOP2* encodes an essential nucleolar protein with homology to a human proliferation marker.**
E. de Beus, J. S. Brockenbrough, B. Hong, and J. P. Aris

1815 **The G protein–activating peptide, mastoparan, and the synthetic NH_2-terminal ARF peptide, ARFp13, inhibit in vitro Golgi transport by irreversibly damaging membranes.**
P. J. Weidman and W. M. Winter

1829 **Maturation of the *trans*-Golgi network protease furin: Compartmentalization of propeptide removal, substrate cleavage, and COOH-terminal truncation.**
M. Vey, W. Schäfer, S. Berghöfer, H.-D. Klenk, and W. Garten

1843 **The *v-sis* oncoprotein loses transforming activity when targeted to the early Golgi complex.**
K. C. Hart, Y.-F. Xu, A. N. Meyer, B. A. Lee, and D. J. Donoghue

1859 **Concentration of intracellular hepatic apolipoprotein E in Golgi apparatus saccular distensions and endosomes.**
S. Dahan, J. P. Ahluwalia, L. Wong, B. I. Posner, and J. J. M. Bergeron

1871 **Isolation and characterization of the principal ATPase associated with transitional endoplasmic reticulum of rat liver.**
L. Zhang, C. L. Ashendel, G. W. Becker, and D. J. Morré

1885 **Restricted movement of lipid and aqueous dyes through pores formed by influenza hemagglutinin during cell fusion.**
J. Zimmerberg, R. Blumenthal, D. P. Sarkar, M. Curran, and S. J. Morris

1895 **Analyzing phorbol ester effects on gap junctional communication: A dramatic inhibition of assembly.**
P. D. Lampe

1907 **Cell-specific expression of epithelial sodium channel α, β, and γ subunits in aldosterone-responsive epithelia from the rat: Localization by in situ hybridization and immunocytochemistry.**
C. Duc, N. Farman, C. M. Canessa, J.-P. Bonvalet, and B. C. Rossier

1923 **Transient immunosuppressive treatment leads to long-term retention of allogeneic myoblasts in hybrid myofibers.**
G. K. Pavlath, T. A. Rando, and H. M. Blau

1933 **Targeted disruption of the *Dictyostelium* RMLC gene produces cells defective in cytokinesis and development.**
P. Chen, B. D. Ostrow, S. R. Tafuri, and R. L. Chisholm

1945 **Expression of a myosin regulatory light chain phosphorylation site mutant complements the cytokinesis and developmenal defects of *Dictyostelium* RMLC null cells.**
B. D. Ostrow, P. Chen, and R. L. Chisholm

1957 **Traction forces generated by locomoting keratocytes.**
J. Lee, M. Leonard, T. Oliver, A. Ishihara, and K. Jacobson

1965 **Direct visualization of the microtubule lattice seam both in vitro and in vivo.**
M. Kikkawa, T. Ishikawa, T. Nakata, T. Wakabayashi, and N. Hirokawa

1973 ***STU1*, a suppressor of a β-tubulin mutation, encodes a novel and essential component of the yeast mitotic spindle.**
D. Pasqualone and T. C. Huffaker

1985 **Daughter cells of *Saccharomyces cerevisiae* from old mothers display a reduced life span.**
B. K. Kennedy, N. R. Austriaco Jr., and L. Guarente

1995 **Functional differences between L- and T-plastin isoforms.**
M. Arpin, E. Friederich, M. Algrain, F. Vernel, and D. Louvard

2009 **Neogenin, an avian cell surface protein expressed during terminal neuronal differentiation, is closely related to the human tumor suppressor molecule deleted in colorectal cancer.**
J. Vielmetter, J. F. Kayyem, J. M. Roman, and W. J. Dreyer

2021 **TGF-β induced transdifferentiation of mammary epithelial cells to mesenchymal cells: Involvement of type I receptors.**
P. J. Miettinen, R. Ebner, A. R. Lopez, and R. Derynck

2037 **Expression of variant fibronectins in wound healing: Cellular source and biological activity of the EIIIA segment in rat hepatic fibrogenesis.**
W. R. Jarnagin, D. C. Rockey, V. E. Koteliansky, S.-S. Wang, and D. M. Bissell

2049 **Measurements of growth cone adhesion to culture surfaces by micromanipulation.**
J. Zheng, R. E. Buxbaum, and S. R. Heidemann

2061 **E-cadherin and APC compete for the interaction with β-catenin and the cytoskeleton.**
J. Hülsken, W. Birchmeier, and J. Behrens

2071 **The mucin epiglycanin on TA3/Ha carcinoma cells prevents $\alpha_6\beta_4$-mediated adhesion to laminin and kalinin and E-cadherin–mediated cell–cell interaction.**
H. Kemperman, Y. Wijnands, J. Wesseling, C. M. Niessen, A. Sonnenberg, and E. Roos

2081 **The A-domain of β2 integrin CR3 (CD11b/CD18) is a receptor for the hookworm-derived neutrophil adhesion inhibitor NIF.**
P. Rieu, T. Ueda, I. Haruta, C. P. Sharma, and M. A. Arnaout

2093 **Tenascin-C expression by fibroblasts is elevated in stressed collagen gels.**
R. Chiquet-Ehrismann, M. Tannheimer, M. Koch, A. Brunner, J. Spring, D. Martin, S. Baumgartner, and M. Chiquet

2103 **AUTHOR INDEX FOR VOLUMES 124–127**

2131 **SUBJECT INDEX FOR VOLUMES 124–127**

2151 **ACKNOWLEDGMENT**